

● PRINTER RUSH ●

(PTO ASSISTANCE)

| | | |
|--------------------------------|------------------------------|----------------------------|
| Application : <u>10/786764</u> | Examiner : <u>Griles</u> | GAU : <u>3643</u> |
| From: <u>A. Connelly</u> | Location: <u>IDC</u> FMF FDC | Date: <u>1/24/05</u> |
| Tracking #: <u>06058092</u> | | Week Date: <u>12/27/04</u> |

| DOC CODE | DOC DATE | MISCELLANEOUS |
|---|----------------|---|
| <input type="checkbox"/> 1449 | | <input checked="" type="checkbox"/> Continuing Data |
| <input checked="" type="checkbox"/> IDS | <u>2/25/04</u> | <input type="checkbox"/> Foreign Priority |
| <input type="checkbox"/> CLM | | <input type="checkbox"/> Document Legibility |
| <input type="checkbox"/> IIFW | | <input type="checkbox"/> Fees |
| <input type="checkbox"/> SRFW | | <input type="checkbox"/> Other |
| <input type="checkbox"/> DRW | | |
| <input type="checkbox"/> OATH | | |
| <input type="checkbox"/> 312 | | |
| <input type="checkbox"/> SPEC | | |

[RUSH] MESSAGE: Please either initial / line through citation
Continuing data listed on the palm/bib data sheet
is missing from specification.

[XRUSH] RESPONSE: Corrected.

PETER M. POON
SUPERVISORY PATENT EXAMINER

INITIALS: pmP

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04